

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A method of producing a photocatalyst comprising a carrier carrying titania and ~~metal having a property of exhibiting thermal catalytic activity~~ platinum, said method comprising:  
preparing a metal carrying step of causing said carrier carrying the titania to carry a compound of ~~said metal~~ platinum;  
reducing the ~~metal~~ compound of platinum carried on titania by hydrogen, in a heating atmosphere at a first treatment temperature, said compound of ~~the metal~~ platinum carried by said carrier in said metal carrying step; and  
~~oxidizing, heating, to a degree not transformed into oxide,~~ in a heating atmosphere containing oxygen at a second treatment temperature, said ~~metal-platinum~~ platinum obtained by hydrogen reduction in said reduction step to thereby make platinum release from an extremely strong reduction state and enhance activity of said ~~metal~~ platinum.
2. (Original) The method according to claim 1, wherein said second treatment temperature is equal to or less than said first treatment temperature.
3. (Original) The method according to claim 1, wherein said second treatment temperature falls within a range of 300°C to 600°C.
4. (Original) The method according to claim 1, wherein said second treatment temperature falls within a range of 500°C to 600°C.

5. (Original) The method according to claim 1, further comprising a temperature adjusting step of setting a temperature of said carrier to said second treatment temperature in an inert gas atmosphere after said reduction step.

6. (Cancelled)

7. (Currently Amended) The method according to claim ~~6~~ 1, wherein the content of the platinum falls within a range of 0.04 weight % to 0.5 weight % relative to the weight of the photocatalyst.

8. (Original) The method according to claim 1, wherein the content of the titania is 10 weight % or more relative to weight of the photocatalyst.

9. (Original) The method according to claim 1, wherein said carrier is a silica bead.

10. (Currently Amended) The method according to claim 1, further comprising, prior to said metal carrying step, a step of impregnating into said carrier a first treatment liquid containing titanium tetraalkoxide and alcohol;

a step of hydrolyzing a titanium compound impregnated into said carrier to cause said carrier to carry titania; and

a step of calcining said carrier carrying the titania.

11. (Cancelled)

12. (Cancelled)

13. (Cancelled)

Appln. No. 10/784,348  
Amendment Dated November 16, 2007  
Reply to Office Action dated May 31, 2007

14. (Cancelled)

15. (Cancelled)